



# ANGLE FINGERSTRIPS 2500

Ideal for 90° applications, where the gasket has to be mounted onto a surface perpendicular to the finger compression area




## ANGLE FINGERSTRIPS 2501




Part nr.	A	C	D	∅	E	F	G	H	Material thickness
2501-01	12.2	6.3	21.1	3.6	9.5	304	9.5	8.5	0.1mm
2501-02	19.5	10.6	31.9	3.6	14.3	304	12.7	11.7	0.2mm

## ANGLE FINGERSTRIPS 2502




Part nr.	A	C	D	∅	E	F	G	H	Material thickness
2502-01	6.1	2.8	7.1	1.5	2.0	406	4.8	4.3	0.08mm
2502-02	7.3	4.1	9.3	1.6	2.4	406	6.2	5.8	0.08mm
2502-04	12.7	5.6	14.5	2.0	7.9	609	9.5	8.7	0.09mm


## ANGLE FINGERSTRIPS 2503




2503-03




2503-04, 2503-09, 2503-10




2503-05




2503-06



2503-07, 2503-08




2503-13




2503-16

## » ANGLE FINGERSTRIPS 2500



2503-17


Part nr.	A	B	C	D	E	F	G	H	Material thickness
2503-02	9.5	1.5	5.0	6.5	2.0	402	4.8	3.6	0.13mm
2503-03	7.2	1.5	6.0	3.3	-	425	4.8	3.6	0.13mm
2503-04	8.2	1.5	6.4	4.0	6.5	406	4.4	3.2	0.13mm
2503-05	13.0	1.5	8.3	3.3	-	402	6.4	5.6	0.13mm
2503-06	7.8	1	6.6	3.3	-	300	13.8	12.7	0.07mm
2503-07	6.0	1.5	3.85	2.8	-	407	4.0	3.0	0.09mm
2503-08	5.8	2.0	4.1	2.9	-	406	4.0	3.0	0.09mm
2503-09	8.4	0.8	2.4	4.1	6.5	406	4.8	3.6	0.13mm
2503-10	8.1	1.0	2.4	4.1	6.5	406	4.8	3.6	0.13mm
2503-13	7.6	1.5	3.8	3.0	-	406	4.8	3.6	0.08mm
2503-16	14.0	2.0	8.5	3.5	-	303	9.9	9.0	0.08mm
2503-17	14.0	1.5	7.9	-	-	406	6.4	5.6	0.13mm



2506-02


Part nr.	A	B	C	E	F	G	H	Material thickness
2506-01	10.3	3.5	8.0	4.0	11.0	4.0	3.0	0.20mm
2506-02	10.3	3.5	8.0	4.0	7.0	4.0	3.0	0.20mm

## ANGLE FINGERSTRIPS 2507




Part nr.	A	B	C	F	G	H	Material thickness
2507-04	8.0	2.5	3.0	5.0	2.0	1.5	0.15mm

## ANGLE FINGERSTRIPS 2504




Part nr.	A	B	C	∅	E	F	G	H	Material thickness
2504-07	9.5	4.0	7.0	2.6	3.5	8.4	4.8	3.6	0.13mm

## ANGLE FINGERSTRIPS 2508




Part nr.	A	B	C	E	F	G	H	∅	Material thickness
2508-01	13.3	7.5	7.0	3.5	8.5	4.8	3.6	2.6	0.13mm
2508-02	13.3	7.5	3.0	-	5.0	4.8	3.6	No hole	0.13mm

## ANGLE FINGERSTRIPS 2505



2505-01




2505-02

Part nr.	A	B	C	D	∅	E	G	Material thickness
2505-01	18.7	9.0	3.0	7	No hole	-	8.5	0.13mm
2505-02	18.7	9.0	-	10	3.6	4.0	8.5	0.13mm


Material: Beryllium copper

## ANGLE FINGERSTRIPS 2506




2506-01

## ANGLE FINGERSTRIPS 2509



2509-01

2509-03



2509-04

Part nr.	A	B	C	D	E	G	H	∅	Material thickness
2509-01	17.2	1.9	8.4	4.3	1.3	-	4.0	No hole	0.15mm
2509-03	19.5	1.7	10.0	7.7	3	4.7	5.0	1.7	0.15mm
2509-04	20.5	4	3.0	4.5	7.0	3.1	2.5	2.0	0.15mm